

Search Query Case No. 10/698,290

5	US-4113360-\$.DID. OR US-5751469-\$.DID. OR US-5771321-\$.DID. OR US-5808781-\$.DID. OR US-6525483-\$.DID.	USPAT
2	(method with driv\$3 with micromirror\$1).ti.	USPAT
24	method with driv\$3 with micromirror\$1	USPAT
501	method same wordline same bitline	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	method same wordline same bitline same modulator\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
465	(method or process) with display with modulator\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
119	(method or process) with (control\$4 or driv\$3) with display with modulator\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	(method or process) with (control\$4 or driv\$3) with (display adj system\$1) with modulator\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	US-6421285-\$.DID. OR US-5903248-\$.DID. OR US-4638309-\$.DID. OR US-6344672-\$.DID. OR US-5132928-\$.DID. OR US-5382961-\$.DID.	USPAT
8	US-5523803-\$.DID. OR US-5255100-\$.DID. OR US-6115083-\$.DID. OR US-6107979-\$.DID. OR US-5079544-\$.DID. OR US-5548301-\$.DID. OR US-5254980-\$.DID. OR US-5444566-\$.DID.	USPAT
1	20020085438	USPAT; US-PGPUB
1	20020138688	USPAT; US-PGPUB
1	20020054031	USPAT; US-PGPUB
1654	((359/237,242,290,291,295).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
876	((345/84,85,31,108).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2487	((359/237,242,290,291,295).CCLS.) or ((345/84,85,31,108).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9212	(method\$1 or process\$2) with (driv\$3 or us\$3) with (micromirror\$1 or modulator\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

196	(((359/237,242,290,291,295).CCLS.) or ((345/84,85,31,108).CCLS.)) and ((method\$1 or process\$2) with (driv\$3 or us\$3) with (micromirror\$1 or modulator\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1247	(method\$1 or process\$2) same wordline\$1 same bitline\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
0	(((359/237,242,290,291,295).CCLS.) or ((345/84,85,31,108).CCLS.)) and ((method\$1 or process\$2) same wordline\$1 same bitline\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Search Results Case No. 10/698,290

US 5523803 A	USPAT	DMD architecture and timing for use in a pulse-width modulated display system	348/771
US 5548301 A	USPAT	Pixel control circuitry for spatial light modulator	345/85
US 5255100 A	USPAT	Data formatter with orthogonal input/output and spatial reordering	348/441
US 5254980 A	USPAT	DMD display system controller	345/84
US 4638309 A	USPAT	Spatial light modulator drive system	345/84
US 5444566 A	USPAT	Optimized electronic operation of digital micromirror devices	359/291
US 6115083 A	USPAT	Load/reset sequence controller for spatial light modulator	348/771
US 6107979 A	USPAT	Monolithic programmable format pixel array	345/84
US 5079544 A	USPAT	Standard independent digitized video system	345/84
US 20020054031 A1	US-PGPUB	Color wheel synchronization in multi-frame-rate display systems	345/204
US 20020138688 A1	US-PGPUB	Memory array with dual wordline operation	711/105
US 20020085438 A1	US-PGPUB	Local bit-plane memory for spatial light modulator	365/200
US 6344672 B1	USPAT	Guardring DRAM cell	257/296
US 5382961 A	USPAT	Bistable DMD addressing method	345/108
US 5903248 A	USPAT	Active matrix display having pixel driving circuits with integrated charge pumps	345/90
US 5132928 A	USPAT	Divided word line type non-volatile semiconductor memory device	365/185.13
US 6421285 B2	USPAT	Semiconductor storage device using redundancy method	365/200
US 6781742 B2	USPAT	Digital micromirror device and method of driving digital micromirror device	359/290
US 6765711 B2	USPAT	Micromirror driver and method of controlling micromirror driver	359/290
US 6760143 B2	USPAT	Micromirror actuator	359/290
US 6650461 B2	USPAT	Method of manufacturing spatial light modulator and electronic device employing it	359/291
US 6188426 B1	USPAT	Printer with micromirror device and exposure method therefor	347/239
US 6219113 B1	USPAT	Method and apparatus for driving an active matrix display panel	349/42
US 6600591 B2	USPAT	Micromirror array having adjustable mirror angles	359/291
US 6597371 B2	USPAT	System for digitally driving addressable pixel matrix	345/691
US 6038058 A	USPAT	Grid-actuated charge controlled mirror and method of addressing the same	359/293
US 6611380 B2	USPAT	System and method for calibration of display system with linear array modulator	359/618
US 5657099 A	USPAT	Color phase control for projection display using spatial light modulator	348/743